

## Chassis - Springs



### Pro Linear Springs 13x25mm, 345g/mm

2 pieces Pro Linear springs, orange coded.

Pro Linear Springs are ideal for tuning your touring car's suspension and handling characteristics. They will fit a wide variety of touring car shocks and are available in a huge range of stiffness so you can tune for any track condition or driving style.

Manufacturer: HPI (6751), inner diameter:13 mm, length: 25 mm, spring rate: 345g/mm, content: 2 pieces, [item number: 51207](#)



### Pro Linear Springs 13x25mm, 392g/mm

2 pieces Pro Linear springs, yellow coded.

Pro Linear Springs are ideal for tuning your touring car's suspension and handling characteristics. They will fit a wide variety of touring car shocks and are available in a huge range of stiffness so you can tune for any track condition or driving style.

Manufacturer: HPI (6753), inner diameter:13 mm, length: 25 mm, spring rate: 392g/mm, content: 2 pieces, [item number: 51208](#)



### Pro Linear Springs 13x25mm, 432g/mm

2 pieces Pro Linear springs, red coded.

Pro Linear Springs are ideal for tuning your touring car's suspension and handling characteristics. They will fit a wide variety of touring car shocks and are available in a huge range of stiffness so you can tune for any track condition or driving style.

Manufacturer: HPI (6754), inner diameter:13 mm, length: 25 mm, spring rate: 432g/mm, content: 2 pieces, [item number: 51209](#)



### Pro Linear Springs 13x27mm, 216g/mm

2 pieces Pro Linear springs, orange coded.

Pro Linear Springs are ideal for tuning your touring car's suspension and handling characteristics. They will fit a wide variety of touring car shocks and are available in a huge range of stiffness so you can tune for any track condition or driving style.

Manufacturer: HPI (6841), inner diameter:13 mm, length: 27 mm, spring rate: 216g/mm, content: 2 pieces, [item number: 51214](#)




### Pro Linear Springs 13x27mm, 227g/mm

2 pieces Pro Linear springs, yellow coded.

Pro Linear Springs are ideal for tuning your touring car's suspension and handling characteristics. They will fit a wide variety of touring car shocks and are available in a huge range of stiffness so you can tune for any track condition or driving style.

Manufacturer: HPI (6843), inner diameter:13 mm, length: 27 mm, spring rate: 227g/mm, content: 2 pieces, [item number: 51215](#)



### Pro Linear Springs 13x27mm, 238g/mm

2 pieces Pro Linear springs, red coded.

Pro Linear Springs are ideal for tuning your touring car's suspension and handling characteristics. They will fit a wide variety of touring car shocks and are available in a huge range of stiffness so you can tune for any track condition or driving style.

Manufacturer: HPI (6844), inner diameter:13 mm, length: 27 mm, spring rate: 238g/mm, content: 2 pieces, [item number: 51216](#)




### Pro Linear Springs 13x27mm, 247g/mm

2 pieces Pro Linear springs, green coded.

Pro Linear Springs are ideal for tuning your touring car's suspension and handling characteristics. They will fit a wide variety of touring car shocks and are available in a huge range of stiffness so you can tune for any track condition or driving style.

Manufacturer: HPI (6846), inner diameter:13 mm, length: 27 mm, spring rate: 247g/mm, content: 2 pieces, [item number: 51217](#)



### Pro Linear Springs 13x27mm, 264g/mm

2 pieces Pro Linear springs, blue coded.

Pro Linear Springs are ideal for tuning your touring car's suspension and handling characteristics. They will fit a wide variety of touring car shocks and are available in a huge range of stiffness so you can tune for any track condition or driving style.

Manufacturer: HPI (6847), inner diameter:13 mm, length: 27 mm, spring rate: 264g/mm, content: 2 pieces, [item number: 51218](#)



### Pro Linear Springs 13x27mm, 272g/mm

2 pieces Pro Linear springs, pink coded.

Pro Linear Springs are ideal for tuning your touring car's suspension and handling characteristics. They will fit a wide variety of touring car shocks and are available in a huge range of stiffness so you can tune for any track condition or driving style.

Manufacturer: HPI (6849), inner diameter:13 mm, length: 27 mm, spring rate: 272g/mm, content: 2 pieces, [item number: 51219](#)



### Springs 13x25 mm, 3.9 N/mm

2 pieces springs.

Manufacturer: Team Associated (3945), inner diameter: 13 mm, length: 25 mm, spring rate: 3.9 N/mm, content: 2 pieces, [item number: 51225](#)



### Springs 13x25 mm, 4.4 N/mm

2 pieces springs.

Manufacturer: Team Associated (3946), inner diameter: 13 mm, length: 25 mm, spring rate: 4.4 N/mm, content: 2 pieces, [item number: 51226](#)



### Springs 13x57 mm, 0.53 N/mm

2 pieces springs.

Manufacturer: HPI (86914), inner diameter: 13 mm, length: 57 mm, spring rate: 0.53 N/mm, content: 2 pieces, [item number: 51233](#)



### Springs 13x57 mm, 0.47 N/mm

2 pieces springs.

Manufacturer: HPI (86915), inner diameter: 13 mm, length: 57 mm, spring rate: 0.47 N/mm, content: 2 pieces, [item number: 51234](#)



### Springs 13x57 mm, 0.42 N/mm

2 pieces springs.

Manufacturer: HPI (86916), inner diameter: 13 mm, length: 57 mm, spring rate: 0.42 N/mm, content: 2 pieces, [item number: 51235](#)



### Springs 17x44 mm, 0.46 N/mm

2 pieces springs.

Manufacturer: Traxxas (5435), length: 44 mm, inner diameter: 17 mm, spring rate: 0.46 N/mm, content: 2 pieces, [item number: 51237](#)





### Springs 17x44 mm, 0.51 N/mm

2 pieces springs.

Manufacturer: Traxxas (5436), length: 44 mm, inner diameter: 17 mm, spring rate: 0.51 N/mm, content: 2 pieces, [item number: 51238](#)



### Springs 17x44 mm, 0.56 N/mm

2 pieces springs.

Manufacturer: Traxxas (5437), length: 44 mm, inner diameter: 17 mm, spring rate: 0.56 N/mm, content: 2 pieces, [item number: 51239](#)



### Springs 17x44 mm, 0.61 N/mm

2 pieces springs.

Manufacturer: Traxxas (5438), length: 44 mm, inner diameter: 17 mm, spring rate: 0.61 N/mm, content: 2 pieces, [item number: 51240](#)



### Springs 17x44 mm, 0.67 N/mm

2 pieces springs.

Manufacturer: Traxxas (5439), length: 44 mm, inner diameter: 17 mm, spring rate: 0.67 N/mm, content: 2 pieces, [item number: 51241](#)



### Springs 17x44 mm, 0.72 N/mm

2 pieces springs.

Manufacturer: Traxxas (5440), length: 44 mm, inner diameter: 17 mm, spring rate: 0.72 N/mm, content: 2 pieces, [item number: 51242](#)



### Springs 17x44 mm, 0.77 N/mm

2 pieces springs.

Manufacturer: Traxxas (5441), length: 44 mm, inner diameter: 17 mm, spring rate: 0.77 N/mm, content: 2 pieces, [item number: 51243](#)



### Springs 17x44 mm, 0.86 N/mm

2 pieces springs.

Manufacturer: Traxxas (5442), length: 44 mm, inner diameter: 17 mm, spring rate: 0.86 N/mm, content: 2 pieces, [item number: 51244](#)



### Springs 17x44 mm, 0.95 N/mm

2 pieces springs.

Manufacturer: Traxxas (5443), length: 44 mm, inner diameter: 17 mm, spring rate: 0.95 N/mm, content: 2 pieces, [item number: 51245](#)



### Springs 17x44 mm, 1.03 N/mm

2 pieces springs.

Manufacturer: Traxxas (5444), length: 44 mm, inner diameter: 17 mm, spring rate: 1.03 N/mm, content: 2 pieces, [item number: 51246](#)



### Springs 17x44 mm, 1.12 N/mm

2 pieces springs.

Manufacturer: Traxxas (5445), length: 44 mm, inner diameter: 17 mm, spring rate: 1.12 N/mm, content: 2 pieces, [item number: 51247](#)



### Spring Kit 13x36 mm

5 pairs of springs with different spring rates.

2 x 0.49 N/mm, 2 x 0.56 N/mm, 2 x 0.61 N/mm, 2 x 0.67 N/mm and 2 x 0.74 N/mm.

Manufacturer: Team Associated (1581), length: 36 mm, inner diameter: 13 mm, content: 10 pieces, [item number: 51252](#)



### Spring Kit 13x70 mm

5 pairs of springs with different spring rates.

2 x 0.33 N/mm, 2 x 0.37 N/mm, 2 x 0.45 N/mm, 2 x 0.48 N/mm and 2 x 0.52 N/mm.

Manufacturer: Team Associated (1582), length: 70 mm, inner diameter: 13 mm, content: 10 pieces, [item number: 51253](#)



### Spring Kit 13x35 mm

3 pairs of springs with different spring rates.

Manufacturer: Team Associated (21557), length: 35 mm, inner diameter: 13 mm, content: 6 pieces, [item number: 51255](#)



### Spring Kit 13x35 mm

3 pairs of springs with different spring rates.

2 x 1.49 N/mm, 2 x 1.57 N/mm and 2 x 1.75 N/mm.

Manufacturer: Team Associated (21558), length: 35 mm, inner diameter: 13 mm, content: 6 pieces, [item number: 51256](#)



### Spring Kit 18x80 mm

6 pairs of springs with different spring rates.

2 x 0.70 N/mm, 2 x 0.87 N/mm, 2 x 1.31 N/mm, 2 x 1.56, 2 x 1.74, and 2 x 1.92.

Manufacturer: HPI (87525), length: 80 mm, inner diameter: 18 mm, content: 12 pieces, [item number: 51257](#)




### Spring Kit 17x90 mm

3 pairs of springs with different spring rates.

2 x 0.48 N/mm, 2 x 0.58 N/mm and 2 x 0.69 N/mm.

Manufacturer: Team Associated (89196), length: 90 mm, inner diameter: 17 mm, content: 6 pieces, [item number: 51258](#)





### Spring Kit 15x45 mm

3 pairs of springs with different spring rates.

2 x 0.5 N/mm, 2 x 0.52 N/mm and 2 x 0.55 N/mm.

Manufacturer: Team Associated (91341), length: 45 mm, inner diameter: 15 mm, content: 6 pieces, [item number: 51260](#)




teilehaus

### Spring Kit 15x45 mm

3 pairs of springs with different spring rates.

2 x 0.58 N/mm, 2 x 0.6 N/mm and 2 x 0.63 N/mm.

Manufacturer: Team Associated (91342), length: 45 mm, inner diameter: 15 mm, content: 6 pieces, [item number: 51261](#)




teilehaus

### Spring Kit 15x45 mm

3 pairs of springs with different spring rates.

2 x 0.66 N/mm, 2 x 0.68 N/mm and 2 x 0.71 N/mm.

Manufacturer: Team Associated (91343), length: 45 mm, inner diameter: 15 mm, content: 6 pieces, [item number: 51262](#)



teilehaus




### Spring Kit 15x64 mm

3 pairs of springs with different spring rates.

2 x 0.33 N/mm, 2 x 0.35 N/mm and 2 x 0.37 N/mm.

Manufacturer: Team Associated (91344), length: 64 mm, inner diameter: 15 mm, content: 6 pieces, [item number: 51263](#)



teilehaus

### Spring Kit 15x64 mm

3 pairs of springs with different spring rates.

2 x 0.38 N/mm, 2 x 0.4 N/mm and 2 x 0.42 N/mm.

Manufacturer: Team Associated (91345), length: 64 mm, inner diameter: 15 mm, content: 6 pieces, [item number: 51264](#)



teilehaus


### Springs 14x70 mm, 0.36 N/mm

2 pieces springs, red coded.

Manufacturer: Axial (30218), inner diameter: 14 mm, length: 70 mm, spring rate: 0.36 N/mm, content: 2 pieces, [item number: 51267](#)




teilehaus



### Springs 14x70 mm, 0.43 N/mm

2 pieces springs, white coded.


Manufacturer: Axial (30219), inner diameter: 14 mm, length: 70 mm, spring rate: 0.43 N/mm, content: 2 pieces, [item number: 51268](#)



### Springs 14x70 mm, 0.5 N/mm

2 pieces springs, green coded.

Manufacturer: Axial (30220), inner diameter: 14 mm, length: 70 mm, spring rate: 0.5 N/mm, content: 2 pieces, [item number: 51269](#)



### Springs 14x70 mm, 0.57 N/mm

2 pieces springs, yellow coded.

Manufacturer: Axial (30221), inner diameter: 14 mm, length: 70 mm, spring rate: 0.57 N/mm, content: 2 pieces, [item number: 51270](#)



### Springs 13x33 mm, 0.56 N/mm

2 pieces springs.


Manufacturer: Team Associated (8232), length: 33 mm, inner diameter: 13 mm, spring rate: 0.56 N/mm, content: 2 pieces, [item number: 51273](#)



### Springs 13x33 mm, 0.61 N/mm

2 pieces springs.

Manufacturer: Team Associated (6494), length: 33 mm, inner diameter: 13 mm, spring rate: 0.61 N/mm, content: 2 pieces, [item number: 51274](#)



### Springs 13x33 mm, 0.67 N/mm

2 pieces springs.


Manufacturer: Team Associated (6496), length: 33 mm, inner diameter: 13 mm, spring rate: 0.67 N/mm, content: 2 pieces, [item number: 51275](#)



### Springs 13x33 mm, 0.74 N/mm

2 pieces springs.


Manufacturer: Team Associated (6497), length: 33 mm, inner diameter: 13 mm, spring rate: 0.74 N/mm, content: 2 pieces, [item number: 51276](#)



### Springs 20x80 mm, 0.75 N/mm

2 pieces springs.

Manufacturer: Team Associated (89339), length: 80 mm, inner diameter: 20 mm, spring rate: 0.75 N/mm, content: 2 pieces, [item number: 51277](#)





### **Springs 20x90 mm, 0.47 N/mm**

2 pieces springs.


Manufacturer: Team Associated (89347), length: 90 mm, inner diameter: 20 mm, spring rate: 0.47 N/mm, content: 2 pieces, [item number: 51281](#)



### **Springs 20x90 mm, 0.59 N/mm**

2 pieces springs.

Manufacturer: Team Associated (89348), length: 90 mm, inner diameter: 20 mm, spring rate: 0.59 N/mm, content: 2 pieces, [item number: 51282](#)



### **Springs 12x57 mm, 0.48 N/mm**

2 pieces springs.

Manufacturer: Team Associated (7426), length: 57 mm, inner diameter: 12 mm, spring rate: 0.48 N/mm, content: 2 pieces, [item number: 51285](#)



### **Springs 12x57 mm, 0.52 N/mm**

2 pieces springs.



Manufacturer: Team Associated (7427), length: 57 mm, inner diameter: 12 mm, spring rate: 0.52 N/mm, content: 2 pieces, [item number: 51286](#)



### **Springs 12x57 mm, 0.56 N/mm**

2 pieces springs.

Manufacturer: Team Associated (7428), length: 57 mm, inner diameter: 12 mm, spring rate: 0.56 N/mm, content: 2 pieces, [item number: 51287](#)



### Springs 12x57 mm, 0.6 N/mm

2 pieces springs.


Manufacturer: Team Associated (7429), length: 57 mm, inner diameter: 12 mm, spring rate: 0.6 N/mm, content: 2 pieces, [item number: 51288](#)



### Springs 12x57 mm, 0.65 N/mm

2 pieces springs.


Manufacturer: Team Associated (7425), length: 57 mm, inner diameter: 12 mm, spring rate: 0.65 N/mm, content: 2 pieces, [item number: 51289](#)



### Springs 12x57 mm, 0.68 N/mm

2 pieces springs.

Manufacturer: Team Associated (7430), length: 57 mm, inner diameter: 12 mm, spring rate: 0.68 N/mm, content: 2 pieces, [item number: 51290](#)



### Springs 12x70 mm, 0.33 N/mm

2 pieces springs.

Manufacturer: Team Associated (6480), length: 70 mm, inner diameter: 12 mm, spring rate: 0.33 N/mm, content: 2 pieces, [item number: 51292](#)



### Springs 12x70 mm, 0.37 N/mm

2 pieces springs.


Manufacturer: Team Associated (6478), length: 70 mm, inner diameter: 12 mm, spring rate: 0.37 N/mm, content: 2 pieces, [item number: 51293](#)



### Springs 12x70 mm, 0.45 N/mm

2 pieces springs.

Manufacturer: Team Associated (7434), length: 70 mm, inner diameter: 12 mm, spring rate: 0.45 N/mm, content: 2 pieces, [item number: 51294](#)



### Springs 12x70 mm, 0.48 N/mm

2 pieces springs.


Manufacturer: Team Associated (7435), length: 70 mm, inner diameter: 12 mm, spring rate: 0.48 N/mm, content: 2 pieces, [item number: 51295](#)



### Springs 12x70 mm, 0.52 N/mm

2 pieces springs.


Manufacturer: Team Associated (7436), length: 70 mm, inner diameter: 12 mm, spring rate: 0.52 N/mm, content: 2 pieces, [item number: 51296](#)



### Springs 16x76 mm, 0.38 N/mm

2 pieces springs.

Manufacturer: Team Associated (91639), length: 76 mm, inner diameter: 16 mm, spring rate: 0.38 N/mm, content: 2 pieces, [item number: 51299](#)





### Springs 16x76 mm, 0.42 N/mm

2 pieces springs.

Manufacturer: Team Associated (91640), length: 76 mm, inner diameter: 16 mm, spring rate: 0.42 N/mm, content: 2 pieces, [item number: 51300](#)



### Springs 16x76 mm, 0.45 N/mm

2 pieces springs.

Manufacturer: Team Associated (91641), length: 76 mm, inner diameter: 16 mm, spring rate: 0.45 N/mm, content: 2 pieces, [item number: 51301](#)



### Shock Duplicator

Shock Duplicator for use with all shocks up to 158mm long using 3 mm mounting screws. Simply bolt a pair of shocks to our Duplicator and, following the straightforward instructions included, you'll take all of the guesswork out of your suspension system.

Manufacturer: RPM (70972), [item number: 55114](#)




### Shock Rebuild Stand, Blue

Holds 1/10 and 1/8 scale shocks, constructed of plastic. Upper and lower plates hold four top and four bottom sections of shock bodies for ease of rebuilding. Magnetic plate with bottom lip holds small metal parts in place.

Manufacturer: Kyosho (36218), length: 95 mm, width: 57 mm, height: 89 mm, [item number: 55151](#)





### Shock Shaft Pliers

Aluminum Shock Shaft Pliers.

Manufacturer: ST Racing (22353), [item number: 55321](#)